

0311 Optical Cable





Overview


A hybrid cable containing single-mode fibre optic and copper cores, meeting the SMPTE311M standard for HDTV camera connections. Advantages: Digital signal transmission over long distances Compact, lightweight, robust and metal free Die-electrical glass fibre armouring (rodent protection) Reelable, therefore suitable for indoor and outdoor transmissions over long transmission distance. SMPTE (the Society of Motion Picture and Television Engineers) is an internationally-recognized standards developing organization. Extend Radwell's 2-Year Warranty to a 3-Year Warranty for continued coverage against defects. We deliver the multimode gradient fibers with a core diameter of 50 μm (insulation/cladding $\varnothing$ 125 μm) in OM3 grade for the 1,500 Mhz bandwidth. Factory New, New Material, New Surplus, Overhauled, Serviceable, Repairable, and AS Removed / Used material will be accompanied by a Certificate of Conformance, and any other documents/trace when applicable.



0311 Optical Cable

Optical Fibre Internal Tail Cable

GKRT0311 Iss 1 defines the requirements for an optical fibre internal cable containing a single optical fibre for use in transmission systems between the cable termination point and the Line Termination



6020-01-465-0311 Fiber Optic Cable Assembly

National Stock Number (NSN) 6020-01-465-0311 fiber optic cable assembly. A definite continuous length of cable, fiber optic having both ends cleaved, optically ground and polished and/or terminated in



0311-0210-005M Fiber Optic Cable by ACX

Get fast and efficient help from our experienced sales or customer service teams. No question too small, nor problem too big. Order any time! Experienced product experts at your disposal 24/7/365.

Datasheet 590-0311-04-OM4

Optical fiber SC-Octopus-G; 4 x 50/125 um OM4; PUR-FRNC Ø 5,80 mm; black



FURUKAWA TV-OM-AMS SMPTE311 HD CAMERA

Ein Hybrid-Kabel mit Singlemode-Glasfaser- und Kupferleitern, das dem SMPTE311M-Standard für den Anschluss von HDTV-Kameras entspricht.



Fiber Optic Cable , Farnell® Germany

Buy Fiber Optic Cable. Farnell® Germany offers fast quotes, same day dispatch, fast delivery, wide inventory, datasheets & technical support.



Optical fiber SC-Octopus-G; 12 x 50/125 μ m OM3; PU Ø 7,00 mm; black

Optical fiber SC-Octopus-G; 12 x 50/125 μ m OM3; PU Ø 7,00 mm; black 590-0311-12-OM3
\$16.87* Base price: \$16.87* / m





Product Catalogue Fibre Optic Cable

Patch Cord Cables Round Duplex Fibre Optic Patch Cable m buffered fibre optic patch cable. It is constructed with 2 tight buffered fibres protected by aramid yarns and a Low Smoke Zero Halogen




Fiber Optic Cables

Get reliable and high-performance fiber optic cables for telecommunications, networking, and data centers from top brands like Cisco, Corning and Panduit.

Optical fiber SC-Octopus-G; 12 x 50/125 μm OM3; PU $\varnothing$ 7,00 mm; black

Optical fiber SC-Octopus-G; 12 x 50/125 μm OM3; PU $\varnothing$ 7,00 mm; black 590-0311-12-OM3
\$16.87* Base price: \$16.87* / m Prices incl. 19% VAT plus shipping costs, without dealer discount



Fiber Optic Cables , Corning

With 2 billion kilometers of fiber optic cables installed around the globe, Corning continues to lead the industry in product quality and innovation.

Datasheet 590-0311-04-OM4



Sommer cable GmbH o Humboldtstraße 32-36 o
D-75334 Straubenhardt Germany Telefon:
+49-0-7082-49133-0 o Telefax:
+49-0-7082-49133-11 o E-Mail:
info@sommercable o Web:



USB 3.Optical(TM) Cables

USB 3.Optical(TM) Cables by Corning connects computers and devices at incredible speed and over longer distances. They're thin, light and remarkably tough -- Optical Cables by Corning can be bent,



OCC (OPTICAL CABLE CORPORATION) SMPTE311

A hybrid cable containing single-mode fibre optic and copper cores, meeting the SMPTE311M standard for HDTV camera connections. It handles



Fiber-optic cable

Fiber-optic cable A TOSLINK optical fiber cable with a clear jacket. These cables are used mainly for digital audio connections between devices. A fiber-optic cable,



Light Pipe

Light Pipe - LED Mounts and Lens Caps - Industrial Fiber Optics, Inc. offering a wide selection of option in its inexpensive light pipe product line.



Home

Optical Cable Corporation Networks that Mean Business High-performance networks are essential to business, including manufacturing, transportation, education,

Optical fiber SC-Octopus-G; 12 x 50/125 μ m OM3; PU $\varnothing$ 7,00 mm; black

Optical fiber SC-Octopus-G; 12 x 50/125 μ m OM3; PU $\varnothing$ 7,00 mm; black 590-0311-12-OM3
EUR13.49* Base price: EUR13.49* / m




Fibre Optic Cable

View Eland Cables' range of singlemode and multimode fibre optic cables - loose tube and tight buffered. Technical support, fast quote, international logistics and



Product Catalogue Fibre Optic Cable

Flat duplex 900um buffered fibre optic patch cable, constructed with two simplex units held together with a Low Smoke Zero Halogen (LSZH) jacket. It is designed and manufactured for use in patch cords,




Slingco ZCS0311 Double Eye Cable Socks

See complete range of cable socks for pulling and laying power, telecom, fibre optic, subsea and umbilical cables into trench, duct or onto overhead line towers - this includes single eye, double eye,

0311-0210-005M Fiber Optic Cable by ACX

Specifications Part # 0311-0210-005M Category Sensors & Switches Category Fiber Optic Cable Weight 0.20 lbs



Optical Cable Assemblies

Radiall is a global leader in the design, development and manufacturing of high quality optical assemblies and complex optical systems. Learn more about fiber



Sommer Cable 590-0311-04-OM3 - AMC STORE

WARP 1 or, more precisely, you can reach the simple speed of light with our SC-Octopus-G FO cable. Thus digital audio and video signals can be transmitted over long distances of up to 2 km / 6,562 ft.



Optical fiber SC-Octopus-G; 4 x 50/125 μ m OM4; PUR-FRNC Ø 5,80

Model 590-0311-04-OM4 Categories: Data Network Cables, Veikals Tag: Sommer Cable EUR 15.35 Optical fiber SC-Octopus-G; 4 x 50/125 μ m OM4; PUR-FRNC Ø 5,80 mm; black quantity Add to cart

Television -- Hybrid Electrical and Fiber-Optic Camera Cable

This standard describes the minimum performance for a hybrid cable containing single-mode optical fibers and electrical conductors to convey signal and control in a variety of environments where



BlueLAN Direct Attach Cable compatible to Extreme Networks XEN-TWX-0311

This BlueLAN XEN-TWX-0311 10GBase-CR 3 Meter Direct Attach Cable (DAC) (compatible with Extreme Networks) is suitable for transmitting electrical signals over short distances and works under



Optic fibre cable OM3

Optic fibre cable OM3 - 900 um tight tube
indoor/outdoor 2 fibres Cat. No(s): 0 324 80



Sommer Cable 590-0311-04-OM3 - AMC STORE

Optical fiber SC-Octopus-G; 4 x 50/125 μ m OM3;
PUR-FRNC $\varnothing$ 5,80 mm; black EUR 8.07 Quantity
Add to cart Description Specification Reviews

Contact Us

For datasheets, pricing, or custom high-speed optical interconnect solutions,
please visit:
<https://www.syropy.com.pl>